

Topaz carpet tiles

BPIR Declaration

Version: November 23

Designated building product: Class 1

Heritage Carpets Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Topaz carpet tiles
Line	Topaz Carpet tiles from Heritage Carpets
Identifier	Topaz carpet tiles

Description

Heritage Carpets Topaz heavy traffic carpet tiles made with solution dyed nylon (PA) pile material and PVC free backing. These carpet tiles have a loop pile surface finish.

All Topaz carpet tiles with this group name (Topaz Series) have compliant, similar performance and fire characteristics.

Topaz carpet tiles are 500mm square by default but are available with other dimensions such as 250 x 1,000mm.

.

Scope of use

Topaz carpet tiles **are suitable** for use indoors in high use environments including:

Commercial / Civic

Residential / Accommodation

Education

Health

Infrastructure (indoors)

They are suitable for use with castor chairs

They are suitable for use with underfloor heating and,

Can be installed over most clean, flat and dry surfaces.

They **are not** suitable for use:

On walls

In food preparation areas

In wet areas

Outdoors

Conditions of use

The carpet tiles must be installed in accordance with the New Zealand Building Code and must be cleaned and maintained in accordance with the Heritage Carpets cleaning recommendations.

Accordingly, Heritage Carpets' maintenance guidance is available on our website for reference.

A suitable Low VOC pressure sensitive adhesive may be used and a locally available example is Gilt Edge Gilt Grip 66.

Contributions to compliance -Relevant building code clauses

Topaz carpet tiles satisfy **B2-Durability**

B2.3.1 (c) refers to easily replaced finishes

Topaz carpet tiles properly installed and maintained indoors will outlast the expectation of this clause.

A draft warranty is linked on our website to confirm the above.

Topaz carpet tiles satisfy **C3-Fire affecting areas beyond the source**

C3.4 (b) refers to floor surface materials

All Topaz carpet tiles exceed the highest test result required under this section of the act being 4.5kW/m² when tested to ISO9239-1: 2010 or the ASTM E648 equivalent

The relevant test certificate is available on our website

Topaz carpet tiles satisfy **D1- Access Routes**

D1.3.3 (d) refers to adequate slip resistance

According to Table 2 in D1/AS1 all carpets are considered to have both acceptable dry slip resistance and acceptable wet slip resistance.

See the table on p24 [here](#)

Topaz carpet tiles are not subject to a warning or ban under **s26 -Warnings and Bans**

For further information supporting Topaz carpet tiles claims please refer to our website or reach out to us personally.

Contact details

Manufacture location	Overseas
Legal and trading name of supplier	The United Agencies
Supplier's Address for Service	United Agencies Building 443 Tagore Industrial Ave Singapore 786192
Supplier's Web / Contact	info@heritagecarpets.sg
Legal and trading name of importer	Heritage Carpets Limited
Importer address for service	155 New North Road Eden Terrace, Auckland 1021
Importer website	www.heritagecarpets.co.nz
Importer NZBN	9429033288758
Importer email	office@heritagecarpets.co.nz
Importer phone number	+64 9 362 0427

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

Signed for and on behalf of **Heritage Carpets Limited**:



Umesh Dayal
Director
November 2023

HERITAGE CARPETS LIMITED

155 New North Road Eden Terrace, Auckland 1021 New Zealand
+64 9 362 0427 | www.heritagecarpets.co.nz