

Heritage Carpets

TRUE SERIES

Specifications may vary slightly between designs in the True Series.
Design and colour specification sheets available upon request

Specifications

Construction: 1/10" colourDot® Multi-Level Loop Pattern

Yarn Composition: 100% Solution Dyed Nylon

Tufted Pile Weight: ca. 746 g/m² (22 oz/yd²) (+/- 10%)

Total Weight: ca. 4,200 g/m² (124 oz/yd²) (+/- 15%)

Pile Height: ca. 4 mm (+/- 0.5 mm)

Total Height: ca. 8 mm (+/- 0.5 mm)

Density (APYD): 5,029 ozs/yd³

Tuft Density: 100,076 stitches/m²

Stitch Rate: 39.4 per 10 cm

Backing: EcoAce® Backing (Polyolefin)

Enhancement: Cushion Layer for Extra Comfort

Total Recycled Content: 36% (By Weight)

Plank Size: 25 cm x 100 cm

Packing: 20 pcs per box (5 m²)

Performance

Stain Resistance: 8 (AATCC-175-1993)

Static Control: Pass - Max. 4 kV (AATCC-134-1996)

Tuft Bind: Pass - 7.8 lbs (ASTM-D-1335)

Dimensional Stability: Pass - Max. 0.2% change (AACHEN)

Indoor Air Quality (V.O.C.): Pass - No VOC Detected (ASTM-D5116-10)

Impact Sound Insulation: ΔL_w = 31 dB

Sound Absorption: α_w = 0.30 (H)

Hz 125 250 500 1000 2000 4000

α_s 0.04 0.06 0.43 0.23 0.30 0.42

Flammability:

- Radiant Panel: Pass - Class II (ASTM E 648-17)

- Pill Test: Pass - 8 (ASTM-D-2859)

- Smoke Density: Pass - Max. 450 (ASTM-E-662)

Colourfastness:

- to Light: Excellent - 5 (AATCC-16E)

- to Wet Crocking: 4 (AATCC-165)

Heritage Carpets

- to Dry Crocking: 3 (AATCC-165)
- to Ozone: Excellent - 5 (AATCC-129)

Heritage Carpets

Warranty

15 Year Carpet Wear Warranty

Lifetime Anti-shock Carpet Warranty

Product Advisory Note:

Ensure the subfloor is clean, dry, smooth, level, dust-free, and capable of supporting loads without compression. Apply seam sealant where required during installation. Due to dye lot variations, actual colours may differ slightly from samples. Chair pads are recommended to reduce carpet wear.

Ideal for Heavy Contract Use.

Environment:

The design and production of True Collection Tile adhere to the ISO 14001:2004 Environmental Management System and comply with all environmental regulations.

As a responsible manufacturer, we strive to minimize our carbon footprint. A majority of our excess production materials are recycled in-house, resulting in at least 10% recycled content in our tile backing. Additionally, True Collection Tile is free from PVC in both its materials and packaging.

True Collection Tile is an environmentally friendly “green” carpet.